




# STEELMART

SUNSHINE COAST



---

## PRODUCT CATALOGUE & CUSTOMER SERVICES

TRADING HOURS: Monday to Friday 7.00 am : 4.30pm

**FOR ALL YOUR STEEL NEEDS AND FABRICATION REQUIREMENTS**

**(07) 5371 0160**

**STEEL • STAINLESS STEEL • ALUMINIUM**

---



QUEENSLAND BUILDING AND  
CONSTRUCTION COMMISSION  
QBCC License No. 1513 1477



Proud Member



STANDARDS  
AUSTRALIA

QBCC License 15131477

**31- 33 LYSAGHT ST, COOLUM BEACH 4573**



## PROCESSING IN OUR WORKSHOP:



CUTTING



PLATE ROLLING



DRILLING



SHEET ROLLING



ROLLING



SECTION ROLLING



PIPE NOTCHING



CROPPING & PUNCHING

---

**CNC PROFILE CUTTING** – SHEET/ PLATE

**GUILLOTINE SERVICE** – 3200MM X 6MM CUTTING CAPACITY

**PRESSING – BRAKE PRESS** – 3200MM 80 TONNE CAPACITY

## STEEL PRODUCTS

## PAGE

FLAT BAR		4 - 7
ROUND BAR		8
SQUARE BAR		8
DEFORMED BAR		9
POOL BAR		9
CONCRETE & TRENCH MESH		9
ANGLE	MERCHANT	10 - 11
	LIGHT STRUCTURAL	11
	STRUCTURAL	12
FLANGE CHANNELS	PARALLEL - LIGHT STRUCTURAL	13
	PARALLEL - STRUCTURAL	13
UNIVERSAL COLUMNS		14
WELDED COLUMNS		15
UNIVERSAL BEAMS		16
WELDED BEAMS		17
FLOOR PLATE & A250 PLATE		18
RHS	PAINTED	19 - 22
	GALVANISED	23 - 25
PIPE	BLACK PIPE	25 - 26
	GALVANISED PIPE	27 - 28
	CONVERSION CALCULATOR	29
DURAGAL	FLAT	30
	CHANNEL	30
	ANGLE	31
PRECISION TUBE	GALVANISED TUBE	31,34
	SEMI-BRIGHT / BLACK	33,35-37
MESH - GENERAL PURPOSE GAL MESH		38
BUILDING COMPONENTS	STUDS	39
	BATTENS	39
	NOGGING	39
	GUTTERING	40
	ROOFING & WALLING SHEETS	41
	Z & C PERLINS	42
STANCHIONS		43
EZY RETAINER WALL SYSTEM		44 - 45
CURVING & ROLLING		47
PLASMA CUTTING		47

## PIPE

Jade – Extra Light

Custard – Light

Bluebell – Medium

Signal Red – Heavy

White – Extra Heavy

## RHS

Violet – 1.6mm

Custard – 2.3mm

Silver – 2.3mm

Rose Pink – 2.5mm

Gold – 2.8mm

Bluebell – 3.0mm

Dark Grey Blue – 3.5mm

Jade – 4.0mm

Marigold – 5.0mm

White – 6.0mm

Purple – 9.0mm

# FLAT BAR

Product		Length/M	KG/M	TRUE WEIGHT Does not include rolling tolerance
13 X 3	Flat Bar	4	0.307	
13 X 5	Flat Bar	4	0.511	
13 X 6	Flat Bar	4	0.613	
16 X 3	Flat Bar	4	0.388	
16 X 5	Flat Bar	4	0.628	
16 X 6	Flat Bar	4	0.754	
16 X 8	Flat Bar	6	1.01	
20 X 3	Flat Bar	6	0.471	
20 X 5	Flat Bar	6	0.785	
20 X 6	Flat Bar	6	0.942	
20 X 10	Flat Bar	6	1.57	
25 X 3	Flat Bar	6	0.589	
25 X 5	Flat Bar	6	0.982	
25 X 6	Flat Bar	6	1.18	
25 X 8	Flat Bar	6	1.57	
25 X 10	Flat Bar	6	1.97	
25 X 12	Flat Bar	6	2.36	
32 X 3	Flat Bar	6	0.754	
32 X 5	Flat Bar	6	1.26	
32 X 6	Flat Bar	6	1.51	
32 X 8	Flat Bar	6	2.01	
32 X 10	Flat Bar	6	2.52	
32 X 12	Flat Bar	6	3.02	
40 X 3	Flat Bar	6	0.942	
40 X 5	Flat Bar	6	1.57	
40 X 6	Flat Bar	6	1.89	
40 X 8	Flat Bar	6	2.52	
40 X 10	Flat Bar	6	3.14	
40 X 12	Flat Bar	6	3.77	
40 X 16	Flat Bar	6	5.03	



# FLAT BAR

Product		Length/M	KG/M	<b>TRUE WEIGHT</b> Does not include rolling tolerance
50 X 3	Flat Bar	6	1.18	
50 X 5	Flat Bar	6	1.97	
50 X 6	Flat Bar	6	2.36	
50 X 8	Flat Bar	6	3.14	
50 X 10	Flat Bar	6	3.93	
50 X 12	Flat Bar	6	4.71	
50 X 16	Flat Bar	6	6.28	
50 X 20	Flat Bar	6	7.85	
50 X 25	Flat Bar	6	9.82	
65 X 3	Flat Bar	6	1.54	
65 X 5	Flat Bar	6	2.56	
65 X 6	Flat Bar	6	3.07	
65 X 8	Flat Bar	6	4.09	
65 X 10	Flat Bar	6	5.11	
65 X 12	Flat Bar	6	6.13	
65 X 16	Flat Bar	6	8.17	
65 X 20	Flat Bar	6	10.21	
75 X 3	Slit Flat Bar	3	1.77	
75 X 5	Flat Bar	6	2.95	
75 X 6	Flat Bar	6	3.54	
75 X 8	Flat Bar	6	4.71	
75 X 10	Flat Bar	6	5.89	
75 X 12	Flat Bar	6	7.07	
75 X 16	Flat Bar	6	9.42	
75 X 20	Flat Bar	6	11.78	
75 X 25	Flat Bar	6	14.72	
90 X 6	Flat Bar	6	4.24	
90 X 8	Flat Bar	6	5.66	
90 X 10	Flat Bar	6	7.07	
90 X 12	Flat Bar	6	8.48	



# FLAT BAR

Product		Length/M	KG/M	TRUE WEIGHT Does not include rolling tolerance
100 X 3	Slit Flat Bar	3	2.36	
100 X 5	Flat Bar	6	3.93	
100 X 6	Flat Bar	6	4.71	
100 X 8	Flat Bar	6	6.28	
100 X 10	Flat Bar	6	7.85	
100 X 12	Flat Bar	6	9.42	
100 X 16	Flat Bar	6	12.56	
100 X 20	Flat Bar	6	15.7	
100 X 25	Flat Bar	6	19.63	
100 X 50	Flat Bar	6	39.25	
110 X 6	Flat Bar	6	5.19	
110 X 8	Flat Bar	6	6.91	
110 X 10	Flat Bar	6	8.64	
110 X 12	Flat Bar	6	10.37	
130 X 6	Flat Bar	6	6.13	
130 X 8	Flat Bar	6	8.17	
130 X 10	Flat Bar	6	10.21	
130 X 12	Flat Bar	6	12.25	
130 X 16	Flat Bar	6	16.33	
130 X 20	Flat Bar	6	20.41	
130 X 25	Flat Bar	6	25.52	
150 X 5	Flat Bar	6	5.89	
150 X 6	Flat Bar	6	7.07	
150 X 8	Flat Bar	6	9.42	
150 X 10	Flat Bar	6	11.78	
150 X 12	Flat Bar	6	14.13	
150 X 16	Flat Bar	6	18.84	
150 X 20	Flat Bar	6	23.55	
150 X 25	Flat Bar	6	29.44	



# FLAT BAR

Product		Length/M	KG/M	TRUE WEIGHT Does not include rolling tolerance
180 X 6	Flat Bar	6	8.48	
180 X 10	Flat Bar	6	14.13	
180 X 12	Flat Bar	6	16.96	
180 X 16	Flat Bar	6	22.61	
180 X 20	Flat Bar	6	28.26	
200 X 6	Flat Bar	6	9.42	
200 X 8	Flat Bar	6	12.56	
200 X 10	Flat Bar	6	15.7	
200 X 12	Flat Bar	6	18.84	
200 X 16	Flat Bar	6	25.12	
200 X 20	Flat Bar	6	31.4	
200 X 25	Flat Bar	6	39.25	
250 X 6	Flat Bar	6	11.78	
250 X 8	Flat Bar	6	15.7	
250 X 10	Flat Bar	6	19.63	
250 X 12	Flat Bar	6	23.55	
250 X 16	Flat Bar	6	31.4	
250 X 20	Flat Bar	6	39.25	
250 X 25	Flat Bar	6	49.07	
300 X 6	Flat Bar	6	14.13	
300 X 8	Flat Bar	6	18.84	
300 X 10	Flat Bar	6	23.55	
300 X 12	Flat Bar	6	28.26	
300 X 16	Flat Bar	6	37.68	
300 X 20	Flat Bar	6	47.1	
300 X 25	Flat Bar	6	58.88	



## ROUND BAR GR250

Product		Length/M	KG/M	TRUE WEIGHT Does not include rolling tolerance
6mm	Round Bar	6	0.222	
8mm	Round Bar	6	0.3.95	
10mm	Round Bar	6	0.617	
12mm	Round Bar	6	0.888	
14mm	Round Bar	6	1.21	
16mm	Round Bar	6*	1.58	
18mm	Round Bar	6	2.00	
20mm	Round Bar	6	2.47	
22mm	Round Bar	6	2.99	
24mm	Round Bar	6	3.56	
27mm	Round Bar	6	4.5	
30mm	Round Bar	6	5.55	
33mm	Round Bar	6	6.72	
36mm	Round Bar	6	8.00	
39mm	Round Bar	6	9.38	
42mm	Round Bar	6	10.88	
45mm	Round Bar	6	12.49	
48mm	Round Bar	6	14.21	
50mm	Round Bar	6	15.42	
56mm	Round Bar	6	19.34	
60mm	Round Bar	6	22.2	
65mm	Round Bar	6	26.05	
75mm	Round Bar	6	34.67	
80mm	Round Bar	6	39.46	
90mm	Round Bar	6	49.94	
100mm	Round Bar	6	61.66	

\* To calculate the mass of round bar per metre: Diameter squared x 0.7854 x 7850 kg.  
Eg: For 50mm round bar  $0.05 \times 0.05 \times 0.7854 \times 7850 = 15.41$ kg/metre

## SQUARE BAR GR250

Product	Length/M	KG/M
10mm Square Bar	6	0.785
12mm Square Bar	6	1.14
16mm Square Bar	6	2.01
20mm Square Bar	6	3.14
25mm Square Bar	6	4.91
50mm Square Bar	6.7	19.63





## DEFORMED BAR GR500

Product	Length/M	KG/M
12mm Deformed Bar	6*	0.93
16mm Deformed Bar	6*	1.65
20mm Deformed Bar	6	2.57
24mm Deformed Bar	6	3.71
28mm Deformed Bar	6	5.05
36mm Deformed Bar	6	6.60

## S12 POOL BAR GR250

Product	Length/M	KG/M
S12/6	6	0.93

## CONCRETE & TRENCH MESH

Product	Length/M	Width/M	KG/M
RF-62 Concrete Reinforcing Mesh	6000	2400	33
RF-72 Concrete Reinforcing Mesh	6000	2400	40
RF-81 Concrete Reinforcing Mesh	6000	2400	105
RF-82 Concrete Reinforcing Mesh	6000	2400	52
RF-92 Concrete Reinforcing Mesh	6000	2400	65
RF-102 Concrete Reinforcing Mesh	6000	2400	80
R8TM200 Trench Mesh	6.0	0.2	7
R8TM300 Trench Mesh	6.0	0.3	9
R8TM400 Trench Mesh	6.0	0.4	11
R8TM500 Trench Mesh	6.0	0.5	15
R8TM2300 Trench Mesh	6.0	2.3	60
R11TM200 Trench Mesh	6.0	0.2	13
R11TM300 Trench Mesh	6.0	0.3	18
R11TM400 Trench Mesh	6.0	0.4	22
R11Tm500 Trench Mesh	6.0	0.5	26
R11TM2300 Trench Mesh	6.0	2.3	106
R12TM200 Trench Mesh	6.0	0.2	16
R12TM300 Trench Mesh	6.0	0.3	22
R12TM400 Trench Mesh	6.0	0.4	27
R12TM500 Trench Mesh	6.0	0.5	33
R12TM2300 Trench Mesh	6.0	2.3	138



# ANGLE MERCHANT

Product	Length/M	KG/M
20 X 20 X 3 Angle	6	0.87
25 X 25 X 3 Angle	7.5*	1.12
25 X 25 X 5 Angle	7.5*	1.65
25 X 25 X 6 Angle	7.5*	2.08
30 X 30 X 3 Angle	7.5*	1.35
30 X 30 X 5 Angle	7.5*	2.01
30 X 30 X 6 Angle	7.5*	2.56
40 X 40 X 3 Angle	7.5*	1.83
40 X 40 X 5 Angle	7.5*	2.73
40 X 40 X 6 Angle	7.5*	3.5
50 X 50 X 3 Angle	7.5*	2.31
50 X 50 X 5 Angle	7.5*	3.48
50 X 50 X 6 Angle	7.5*	4.46
50 X 50 X 8 Angle	9	5.68
65 X 65 X 5 Angle	9*	4.56
65 X 65 X 6 Angle	9*	5.87
65 X 65 X 8 Angle	9*	7.51
65 X 65 X 10 Angle	9*	9.02

\* Often available in other lengths = 6/7.5/9/12



# ANGLE MERCHANT

Product	Length/M	KG/M
75 X 50 X 5 Angle	9*	4.4
75 X 50 X 6 Angle	9*	5.66
75 X 50 X 8 Angle	9*	7.23
75 X 75 X 5 Angle	9*	5.27
75 X 75 X 6 Angle	9*	6.81
75 X 75 X 8 Angle	9*	8.73
75 X 75 X 10 Angle	9*	10.5

\* Available in other lengths = 6/7.5/9/12

## ANGLE - LIGHT STRUCTURAL

Product	Length/M	KG/M
90 X 90 X 6 Angle	9*	8.22
90 X 90 X 8 Angle	9*	10.6
90 X 90 X 10 Angle	9*	12.7
100 X 75 X 6 Angle	9*	7.98
100 X 75 X 8 Angle	9*	10.3
100 X 75 X 10 Angle	9*	12.4
100 X 100 X 6 Angle	9*	9.16
100 X 100 X 8 Angle	9*	11.8
100 X 100 X 10 Angle	9*	14.2
100 X 100 X 12 Angle	9*	17.7
125 X 75 X 6 Angle	9*	9.16
125 X 75 X 8 Angle	9*	11.8
125 X 75 X 10 Angle	9*	14.2
125 X 75 X 12 Angle	9*	17.7



# ANGLE STRUCTURAL

Product	Length/M	KG/M
125 X 125 X 8 Angle	9*	14.9
125 X 125 X 10 Angle	9*	18
125 X 125 X 12 Angle	9*	22.5
125 X 125 X 16 Angle	9*	29.1
150 X 90 X 8 Angle	9*	14.3
150 X 90 X 10 Angle	9*	17.3
150 X 90 X 12 Angle	9*	21.6
150 X 90 X 16 Angle	9*	27.9
150 X 100 X 10 Angle	9*	18
150 X 100 X 12 Angle	9*	22.5
150 X 150 X 10 Angle	9*	21.9
150 X 150 X 12 Angle	9*	27.3
150 X 150 X 16 Angle	9*	35.4
150 X 150 X 19 Angle	9*	42.1
200 X 200 X 13 Angle	9*	40
200 X 200 X 16 Angle	9*	48.7
200 X 200 X 20 Angle	9*	60.1
200 X 200 X 26 Angle	9*	76.8

\* Available in other lengths = 9/10.5/12/15



# PARALLEL FLANGE CHANNEL LIGHT STRUCTURAL

Product		Length/M	KG/M
50 X 25	Channel	6.1	4.46
75 X 40	Channel	9*	5.92
100 X 50	Channel	9*	8.33
125 X 65	Channel	9*	11.9
150 X 75	Channel	9*	17.7
180 X 75	Channel	9*	20.9
200 X 75	Channel	9*	22.9
230 X 75	Channel	9*	25.1
250 X 90	Channel	9*	35.5
300 X 90	Channel	9*	40.1
380 X 100	Channel	9*	55.2

\* Often available in other lengths = 9/12

## PARALLEL FLANGE CHANNELS

Product	Mass Metre	Depth Section	Flange		Web Thick	Diagram
			Width	Thick		
		A	B	C	D	
380 PFC	55.2	380	100	17.5	10	
300 PFC	40.1	300	90	16.0	8.0	
250 PFC	35.5	250	90	15.0	8.0	
230 PFC	25.1	230	75	12.0	6.5	
200 PFC	22.9	200	75	12.0	6.0	
180 PFC	20.9	180	75	11.0	6.0	
150 PFC	17.7	150	75	9.5	6.0	
125 PFC	11.9	125	65	7.5	4.7	
100 PFC	8.31	100	50	6.7	4.2	
75 PFC	5.90	75	40	6.1	3.8	



# UNIVERSAL COLUMNS


Product	Mass Metre	Depth Section	Flange		Web Thick	Diagram
			Width	Thick		
		A	B	C	D	
310 UC	158	327	311	25.0	15.7	
	137	321	309	21.7	13.8	
	118	315	307	18.7	11.9	
	96.8	308	305	15.4	9.9	
250 UC	89.5	260	256	17.3	10.5	
	72.9	254	254	14.2	8.6	
200 UC	59.5	210	205	14.2	9.3	
	52.2	206	204	12.5	8.0	
	46.2	203	203	11.0	7.3	
150 UC	37.2	162	154	11.5	8.1	
	30.0	158	153	9.4	6.6	
	23.4	152	152	6.8	6.1	
100UC	14.8	97	99	7.0	5.0	

# WELDED COLUMNS

Product	Mass Metre	Depth Section	Flange		Web Thick	Diagram
			Width	Thick		
		A	B	C	D	
	440	480	500	40	40	
	414	480	500	40	32	
	383	472	500	36	32	
	340	514	500	32	25	
	290	506	500	28	20	
	267	500	500	25	20	
	228	490	500	20	20	
400 WC	361	430	400	40	40	
	328	430	400	40	28	
	303	422	400	36	28	
	270	414	400	32	25	
	212	400	400	25	20	
	181	390	400	20	20	
	144	382	400	16	16	
350 WC	280	355	350	40	28	
	258	347	350	36	28	
	230	339	350	32	25	
	197	331	350	28	20	

# UNIVERSAL BEAMS

Product	Mass Metre	Depth Section	Flange		Web Thick	Diagram
			Width	Thick		
		A	B	C	D	
610 UB	125	612	229	19.6	11.9	
	113	607	228	17.3	11.2	
	101	602	228	14.8	10.6	
530 UB	92.4	533	209	15.6	10.2	
	82.0	528	209	13.2	9.6	
460 UB	82.1	460	191	16.0	9.9	
	74.6	457	190	14.5	9.1	
	67.1	454	190	12.7	8.5	
410 UB	59.7	406	178	12.8	7.8	
	53.7	403	178	12.7	7.6	
360 UB	56.7	359	172	13.0	8.0	
	50.7	356	171	11.5	7.3	
	44.7	352	171	9.7	6.9	
310 UB	46.2	307	166	11.8	6.7	
	40.4	304	165	10.2	6.1	
	32.0	298	149	8.0	5.5	
250 UB	37.3	256	146	10.9	6.4	
	31.4	252	146	8.6	6.1	
	25.7	248	124	8.0	5.0	
200 UB	29.8	207	134	9.6	6.3	
	25.4	203	133	7.8	5.8	
	22.3	202	133	7.0	5.0	
	18.2	198	99	7.0	4.5	
180 UB	22.2	179	90	10.0	6.0	
	18.1	175	90	8.0	5.0	
	16.1	173	90	7.0	4.5	
150 UB	18.0	155	75	9.5	6.0	
	14.0	150	75	7.0	5.0	





# WELDED BEAMS

Product	Mass Metre	Depth Section	Flange		Web Thick	Diagram
			Width	Thick		
		A	B	C	D	
1200 WB	455	1200	500	40	16	
	423	1192	500	36	16	
	392	1184	500	32	16	
	342	1184	400	32	16	
	317	1176	400	28	16	
	278	1170	350	25	16	
	248	1170	275	25	16	
	1000 WB	322	1024	400	32	
296		1016	400	28	16	
258		1010	350	25	16	
215		1000	300	20	16	
900 WB	282	924	400	32	12	
	257	916	400	28	12	
	218	910	350	25	12	
	175	900	300	20	12	
800 WB	192	816	300	28	10	
	168	810	275	25	10	
	146	800	275	20	10	
	122	792	250	16	10	
700 WB	173	716	275	28	10	
	150	710	250	25	10	
	130	700	250	20	10	
	115	692	250	16	10	

# A250 PLATE

Product	Length	KG/M <sup>2</sup>
3 mm Plate *		23.55
4 mm Plate *	* A large range	31.4
5 mm Plate *	of widths and	39.25
6 mm Plate *	lengths as well	47.1
8 mm Plate *	as cut to size	62.8
10 mm Plate *	are available.	78.5
12 mm Plate *	There is also	94.2
16 mm Plate *	a large range	125.6
20 mm Plate *	of Q&T PLATE	157
25 mm Plate *	available on	196.25
28 mm Plate *	request.	219.8
32 mm Plate *		251.2
36 mm Plate *		282.6
40 mm Plate *		314
45 mm Plate *		353.25
50 mm Plate *		392.5
55 mm Plate *		431.75
60 mm Plate *		471
70 mm Plate *		549.5
80 mm Plate *		628
90 mm Plate *		706.5
100 mm Plate *		785
110 mm Plate *		863.5
120 mm Plate *		942
140 mm Plate *		1099
150 mm Plate *		1177.5

## FLOOR PLATE

Product	KG/M <sup>2</sup>
2.1 Floorplate	18.49
3.0 Floorplate	25.55
5.0 Floorplate	41.25
6.0 Floorplate	49.1
8.0 Floorplate	64.8
10.0 Floorplate	80.5
12.0 Floorplate	96.2

### To calculate the mass of mild steel plate & Flat:

Length X Width X thickness X 7850kg

Eg: For a 10mm plate @ 2400mm x 1700mm  
 $2.4 \times 1.7 \times 0.01 \times 7850 = 320.28\text{kg}$   
 For a 200 x 6 Flat Bar @ 1200mm  
 $1.2 \times 0.2 \times 0.006 \times 7850 = 11.304\text{kg}$

- Note:
- 2.5% extra added onto the weight of merchant bar as a rolling tolerance.
  - Add 2 kg per square metre for Floorplate
  - To calculate the mass of aluminium:  
Length x width x thickness x 2710 kg
  - To calculate the mass of stainless steel:  
Length x width x thickness x 8000 kg



## PAINTED RHS

Product	Length/M	KG/M	Mini	Full
13 X 13 X 1.8 Ptd RHS	6.5	0.568	50	100
15 X 15 X 1.8 Ptd RHS	6.5	0.681	50	100
20 X 20 X 1.6 Ptd RHS	6.5	0.873	49	100
20 X 20 X 2.0 Ptd RHS	6.5	1.05	49	100
25 X 25 X 1.6 Ptd RHS	6.5	1.12	49	100
25 X 25 X 2.0 Ptd RHS	6.5	1.36	49	100
25 X 25 X 2.5 Ptd RHS	6.5	1.64	49	100
25 X 25 X 3.0 Ptd RHS	6.5	1.89	49	100
30 X 30 X 1.6 Ptd RHS	8	1.38	49	100
30 X 30 X 2.0 Ptd RHS	8	1.68	49	100
30 X 30 X 2.5 Ptd RHS	8	2.03	49	100
30 X 30 X 3.0 Ptd RHS	8	2.36	36	64
35 X 35 X 1.6 Ptd RHS	8	1.63	49	100
35 X 35 X 2.0 Ptd RHS	8	1.99	49	100
35 X 35 X 2.5 Ptd RHS	8	2.42	36	64
35 X 35 X 3.0 Ptd RHS	8	2.83	36	64
40 X 40 X 1.6 Ptd RHS	8	1.88	36	81
40 X 40 X 2.0 Ptd RHS	8	2.31	36	81
40 X 40 X 2.5 Ptd RHS	8	2.82	36	64
40 X 40 X 3.0 Ptd RHS	8	3.3	36	64
40 X 40 X 4.0 Ptd RHS	8	4.09	25	49

# PAINTED RHS

Product	Length/M	KG/M	Mini	Full
50 X 20 X 3.0 Ptd RHS	8	2.83	-	72
50 X 25 X 1.6 Ptd RHS	8	1.75	48	96
50 X 25 X 2.0 Ptd RHS	8	2.15	48	96
50 X 25 X 2.5 Ptd RHS	8	2.62	36	72
50 X 25 X 3.0 Ptd RHS	8	3.07	30	60
50 X 50 X 1.6 Ptd RHS	8	2.38	30	64
50 X 50 X 2.0 Ptd RHS	8	2.93	30	64
50 X 50 X 2.5 Ptd RHS	8	3.6	25	49
50 X 50 X 3.0 Ptd RHS	8	4.25	25	49
50 X 50 X 4.0 Ptd RHS	8	5.35	20	36
50 X 50 X 5.0 Ptd RHS	8	6.39	16	30
50 X 50 X 6.0 Ptd RHS	8	7.79	-	25
65 X 35 X 2.0 Ptd RHS	8	2.93	24	54
65 X 35 X 2.5 Ptd RHS	8	3.6	24	54
65 X 35 X 3.0 Ptd RHS	8	4.25	21	45
65 X 35 X 4.0 Ptd RHS	8	5.45	21	45
65 X 65 X 2.0 Ptd RHS	8	3.88	20	42
65 X 65 X 2.5 Ptd RHS	8	4.78	20	42
65 X 65 X 3.0 Ptd RHS	8	5.66	20	36
65 X 65 X 4.0 Ptd RHS	8	7.23	16	30
65 X 65 X 5.0 Ptd RHS	8	8.75	12	25
65 X 65 X 6.0 Ptd RHS	8	10.1	12	20
75 X 25 X 1.6 Ptd RHS	8	2.38	32	65
75 X 25 X 2.5 Ptd RHS	8	3.6	24	48
75 X 50 X 2.0 Ptd RHS	8	3.72	20	42
75 X 50 X 2.5 Ptd RHS	8	4.58	20	42
75 X 50 X 3.0 Ptd RHS	8	5.42	18	35
75 X 50 X 4.0 Ptd RHS	8	6.92	12	28
75 X 50 X 5.0 Ptd RHS	8	8.35	12	24
75 X 50 X 6.0 Ptd RHS	8	9.67	12	20

\* Available in other lengths = 8/9/10/12



## PAINTED RHS

Product		Length/M	KG/M	Mini	Full
75 X 75 X 2.5	Ptd RHS	8	5.56	16	30
75 X 75 X 3.0	Ptd RHS	8*	6.6	16	30
75 X 75 X 3.5	Ptd RHS	8	7.53	12	25
75 X 75 X 4.0	Ptd RHS	8*	8.49	12	25
75 X 75 X 5.0	Ptd RHS	8*	10.3	9	20
75 X 75 X 6.0	Ptd RHS	8	12	9	16
89 X 89 X 3.5	Ptd RHS	8*	9.06	9	20
89 X 89 X 5.0	Ptd RHS	8*	12.5	9	16
89 X 89 X 6.0	Ptd RHS	8	14.6	6	12
100 X 50 X 2.0	Ptd RHS	8*	4.5	15	32
100 X 50 X 2.5	Ptd RHS	8	5.56	15	32
100 X 50 X 3.0	Ptd RHS	8*	6.6	15	32
100 X 50 X 4.0	Ptd RHS	8*	8.49	12	24
100 X 50 X 5.0	Ptd RHS	8*	10.3	9	18
100 X 50 X 6.0	Ptd RHS	8*	12	9	15
100 X 100 X 3.0	Ptd RHS	8*	8.96	9	20
100 X 100 X 4.0	Ptd RHS	8*	11.6	9	16
100 X 100 X 5.0	Ptd RHS	8*	14.2	6	12
100 X 100 X 6.0	Ptd RHS	8*	16.7	6	12
100 X 100 X 9.0	Ptd RHS	8*	23.5	-	6
102 X 76 X 5.0	Ptd RHS	8*	12.51	-	15
102 X 76 X 6.0	Ptd RHS	8*	14.67	-	12
125 X 75 X 3.0	Ptd RHS	8*	8.96	12	20
125 X 75 X 4.0	Ptd RHS	8*	11.6	8	15
125 X 75 X 5.0	Ptd RHS	8*	14.2	8	15
125 X 75 X 6.0	Ptd RHS	8*	16.7	6	12
125 X 125 X 4.0	Ptd RHS	8*	14.8	6	12
125 X 125 X 5.0	Ptd RHS	8*	18.2	6	12
125 X 125 X 6.0	Ptd RHS	8*	21.4	4	9
125 X 125 X 9.0	Ptd RHS	8*	30.6	-	8

\* Available in other lengths = 8/9/10/12



# PAINTED RHS

Product		Length/M	KG/M	Mini	Full
150 X 50 X 3.0	Ptd RHS	8*	8.96	12	21
150 X 50 X 4.0	Ptd RHS	8*	11.6	8	15
150 X 50 X 5.0	Ptd RHS	8*	14.2	8	15
150 X 50 X 6.0	Ptd RHS	8*	16.98	8	15
150 X 100 X 4.0	Ptd RHS	8*	14.8	8	12
150 X 100 X 5.0	Ptd RHS	8*	18.2	8	12
150 X 100 X 6.0	Ptd RHS	8*	21.4	4	9
150 X 100 X 9.0	Ptd RHS	8*	37.7	-	6
150 X 150 X 5.0	Ptd RHS	8*	22.1	-	9
150 X 150 X 6.0	Ptd RHS	8*	26.2	-	6
150 X 150 X 9.0	Ptd RHS	8*	37.7	-	6
152 X 76 X 5.0	Ptd RHS	8	16.44	-	12
152 X 76 X 6.0	Ptd RHS	8	19.38	-	9
200 X 100 X 4.0	Ptd RHS	8*	17.9	-	8
200 X 100 X 5.0	Ptd RHS	8*	22.1	-	8
200 X 100 X 6.0	Ptd RHS	8*	26.2	-	8
200 X 100 X 9.0	Ptd RHS	8*	37.7	-	6
200 X 200 X 5.0	Ptd RHS	8*	29.9	-	6
200 X 200 X 6.0	Ptd RHS	8*	35.6	-	4
200 X 200 X 9.0	Ptd RHS	8*	51.8	-	4
250 X 150 X 5.0	Ptd RHS	8*	29.9	-	6
250 X 150 X 6.0	Ptd RHS	8*	35.6	-	4
250 X 150 X 9.0	Ptd RHS	8*	51.8	-	4
250 X 250 X 6.0	Ptd RHS	8*	45	-	4
250 X 250 X 9.0	Ptd RHS	8*	65.9	-	2

\* Available in other lengths = 8/9/10/12

Other larger sizes available on request



# GAL RHS

Product		Length/M	KG/M	Mini	Full
20 X 20 X 1.6	Gal RHS	6.5	0.873	49	100
25 X 25 X 1.6	Gal RHS	6.5	1.12	49	100
25 X 25 X 2.0	Gal RHS	6.5	1.36	49	100
25 X 25 X 2.5	Gal RHS	6.5	1.64	49	100
25 X 25 X 3.0	Gal RHS	6.5	1.89	49	100
30 X 30 X 1.6	Gal RHS	8	1.38	49	100
30 X 30 X 2.0	Gal RHS	8	1.68	49	100
30 X 30 X 2.5	Gal RHS	8	2.03	49	100
30 X 30 X 3.0	Gal RHS	8	2.36	36	64
35 X 35 X 1.6	Gal RHS	8	1.63	49	100
35 X 35 X 2.0	Gal RHS	8	1.99	49	100
35 X 35 X 2.5	Gal RHS	8	2.42	30	64
35 X 35 X 3.0	Gal RHS	8	2.83	30	64
38 X 25 X 1.6	Gal RHS	8	1.45	49	100
40 X 40 X 1.6	Gal RHS	8	1.88	36	81
40 X 40 X 2.0	Gal RHS	8	2.31	36	81
40 X 40 X 2.5	Gal RHS	8	2.82	30	64
40 X 40 X 3.0	Gal RHS	8	3.3	30	64
40 X 40 X 4.0	Gal RHS	8	4.09	25	49
50 X 25 X 1.6	Gal RHS	8	1.75	48	96
50 X 25 X 2.0	Gal RHS	8	2.15	48	96
50 X 25 X 2.5	Gal RHS	8	2.62	36	72
50 X 25 X 3.0	Gal RHS	8	3.07	30	60
50 X 50 X 1.6	Gal RHS	8	2.38	30	64
50 X 50 X 2.0	Gal RHS	8	2.93	30	64
50 X 50 X 2.5	Gal RHS	8	3.6	25	49
50 X 50 X 3.0	Gal RHS	8	4.25	25	49
50 X 50 X 4.0	Gal RHS	8	5.35	20	36
50 X 50 X 5.0	Gal RHS	8	6.39	20	36



# GAL RHS

Product	Length/M	KG/M	Mini	Full
65 X 35 X 2.0 Gal RHS	8	2.93	24	54
65 X 35 X 2.5 Gal RHS	8	3.6	24	54
65 X 35 X 3.0 Gal RHS	8	4.25	21	45
65 X 65 X 2.0 Gal RHS	8	3.88	20	42
65 X 65 X 2.5 Gal RHS	8	4.78	20	42
65 X 65 X 3.0 Gal RHS	8	5.66	20	36
65 X 65 X 4.0 Gal RHS	8	7.23	16	30
65 X 65 X 5.0 Gal RHS	8	8.75	12	25
75 X 25 X 1.6 Gal RHS	8	2.38	32	65
75 X 25 X 2.5 Gal RHS	8	3.6	24	48
75 X 50 X 1.6 Gal RHS	8	3.01	20	42
75 X 50 X 2.0 Gal RHS	8	3.72	20	42
75 X 50 X 2.5 Gal RHS	8	4.58	20	42
75 X 50 X 3.0 Gal RHS	8	5.42	18	35
75 X 50 X 4.0 Gal RHS	8	6.92	12	28
75 X 50 X 5.0 Gal RHS	8	8.35	12	28
75 X 75 X 2.5 Gal RHS	8	5.56	16	30
75 X 75 X 3.0 Gal RHS	8*	6.6	16	30
75 X 75 X 3.5 Gal RHS	8*	7.53	12	25
75 X 75 X 4.0 Gal RHS	8*	8.49	12	25
75 X 75 X 5.0 Gal RHS	8*	10.3	9	20
89 X 89 X 2.0 Gal RHS	8*	5.38	9	20
89 X 89 X 3.5 Gal RHS	8*	9.07	9	20
89 X 89 X 5.0 Gal RHS	8*	12.5	9	16
89 X 89 X 6.0 Gal RHS	8	14.67	-	20
100 X 50 X 1.6 Gal RHS	8*	3.62	15	32
100 X 50 X 2.0 Gal RHS	8*	4.5	15	32
100 X 50 X 2.5 Gal RHS	8	5.56	15	32
100 X 50 X 3.0 Gal RHS	8*	6.6	15	32
100 X 50 X 4.0 Gal RHS	8*	8.49	15	32
100 X 50 X 5.0 Gal RHS	8	10.3	9	18

\* Available in other lengths = 8/9/10/12





# GAL RHS

Product	Length/M	KG/M	Mini	Full
100 X 100 X 2.5 Gal RHS	8*	7.53	6	20
100 X 100 X 3.0 Gal RHS	8*	8.96	6	20
100 X 100 X 4.0 Gal RHS	8*	11.6	6	16
100 X 100 X 5.0 Gal RHS	8*	14.2	6	12
100 X 100 X 6.0 Gal RHS	8*	16.7	6	12
125 X 75 X 2.5 Gal RHS	8*	7.53	12	20
125 X 75 X 3.0 Gal RHS	8*	8.96	12	20
125 X 75 X 4.0 Gal RHS	8*	11.6	8	15
125 X 75 X 5.0 Gal RHS	8*	14.2	8	15
125 X 125 X 4.0 Gal RHS	8*	14.80	6	12
125 X 125 X 5.0 Gal RHS	8*	18.20	6	12
150 X 50 X 2.0 Gal RHS	8*	6.05	12	21
150 X 50 X 2.5 Gal RHS	8*	7.53	12	21
150 X 50 X 3.0 Gal RHS	8*	8.96	12	21
150 X 50 X 4.0 Gal RHS	8*	11.6	8	15
150 X 50 X 5.0 Gal RHS	8*	14.2	8	15
150 X 150 X 5.0 Gal RHS	8*	22.10	6	12
200 X 100 X 4.0 Gal RHS	8*	17.90	6	-

\* Available in other lengths = 8/9/10/12

# BLACK PIPE

Product	Imperial	O/D	Wall/MM	Length/M	KG/M
10nb Med Blk Pipe	3/8"	17.2	2.3	6.5	0.839
15nb Med Blk Pipe	1/2"	21.3	2.6	6.5	1.21
15nb Hvy Blk Pipe	1/2"	21.3	3.2	6.5	1.43
20nb Lgt Blk Pipe	3/4"	26.9	2.3	6.5	1.4
20nb Med Blk Pipe	3/4"	26.9	2.6	6.5	1.56
20nb Hvy Blk Pipe	3/4"	26.9	3.2	6.5	1.87
25nb Lgt Blk Pipe	1"	33.7	2.6	6.5	1.99
25nb Med Blk Pipe	1"	33.7	3.2	6.5	2.41
25nb Hvy Blk Pipe	1"	33.7	4	6.5	2.94
25nb Xhvy Blk Pipe	1"	33.7	4.5	6.5	3.24

\* Available in other lengths = 8/9/10/12

# BLACK PIPE

Product		Imperial	O/D	Wall/MM	Length/M	KG/M
32nb Lgt	Blk Pipe	1 1/4"	42.4	2.6	6.5	2.55
32nb Med	Blk Pipe	1 1/4"	42.4	3.2	6.5	3.1
32nb Hvy	Blk Pipe	1 1/4"	42.4	4	6.5	3.8
32nb Xhvy	Blk Pipe	1 1/4"	42.4	4.9	6.5	4.53
40nb Lgt	Blk Pipe	1 1/2"	48.3	2.9	6.5	3.25
40nb Med	Blk Pipe	1 1/2"	48.3	3.2	6.5	3.57
40nb Hvy	Blk Pipe	1 1/2"	48.3	4	6.5	4.38
40nb Xhvy	Blk Pipe	1 1/2"	48.3	5.4	6.5	5.24
50nb Lgt	Blk Pipe	2"	60.3	2.9	6.5	4.11
50nb Med	Blk Pipe	2"	60.3	3.6	6.5	5.03
50nb Hvy	Blk Pipe	2"	60.3	4.5	6.5	6.19
50nb Xhvy	Blk Pipe	2"	60.3	5.4	6.5	7.31
65nb Lgt	Blk Pipe	2 1/2"	76.1	3.2	6.5	5.75
65nb Med	Blk Pipe	2 1/2"	76.1	3.6	6.5	6.43
65nb Hvy	Blk Pipe	2 1/2"	76.1	4.5	6.5	7.93
80nb Lgt	Blk Pipe	3"	88.9	3.2	6.5	6.76
80nb Med	Blk Pipe	3"	88.9	4	6.5	8.37
80nb Hvy	Blk Pipe	3"	88.9	5	6.5	10.3
90nb Lgt	Blk Pipe	3 1/2"	101.6	3.2	6.5	7.77
90nb Med	Blk Pipe	3 1/2"	101.6	4	6.5	9.63
90nb Hvy	Blk Pipe	3 1/2"	101.6	5	6.5	11.9
100nb Lgt	Blk Pipe	4"	114.3	3.6	6.5	9.83
100nb Med	Blk Pipe	4"	114.3	4.5	6.5	12.2
100nb Hvy	Blk Pipe	4"	114.3	5.4	6.5	14.5
125nb Lgt	Blk Pipe	5"	139.7	3.5	6.5	11.8
125nb Med	Blk Pipe	5"	139.7	5	6.5	16.6
125nb Hvy	Blk Pipe	5"	139.7	5.4	6.5	17.9
150nb Lgt	Blk Pipe	6"	165.1	3.5	6.5	13.9
150nb Med	Blk Pipe	6"	165.1	5	6.5	19.7
150nb Hvy	Blk Pipe	6"	165.1	5.4	6.5	21.3



# GAL PIPE

Product		Imperial	O/D	Wall/MM	Length/M	KG/M
15nb Med	Gal Pipe	1/2"	21.3	2.6	6.5	1.26
20nb Xlgt	Gal Pipe	3/4"	26.9	2	6.5	1.3
20nb Lgt	Gal Pipe	3/4"	26.9	2.3	6.5	1.47
20nb Med	Gal Pipe	3/4"	26.9	2.6	6.5	1.63
20nb Heavy	Gal Pipe	3/4"	26.9	3.2	6.5	1.94
25nb Xlgt	Gal Pipe	1" *	33.7	2	6.5	1.66
25nb Lgt	Gal Pipe	1"	33.7	2.6	6.5	2.09
25nb Med	Gal Pipe	1" *	33.7	3.2	6.5	2.51
25nb Hvy	Gal Pipe	1'	33.7	4	6.5	3.03
32nb Xlgt	Gal Pipe	1 1/4" *	42.4	2	6.5	2.12
32nb Lgt	Gal Pipe	1 1/4"	42.4	2.6	6.5	2.67
32nb Med	Gal Pipe	1 1/4" *	42.4	3.2	6.5	3.22
32nb Hvy	Gal Pipe	1 1/4"	42.4	4	6.5	3.92
40nb Xlgt	Gal Pipe	1 1/2" *	48.3	2.3	6.5	2.75
40nb Lgt	Gal Pipe	1 1/2"	48.3	2.9	6.5	3.39
40nb Med	Gal Pipe	1 1/2" *	48.3	3.2	6.5	3.7
40nb Hvy	Gal Pipe	1 1/2"	48.3	4	6.5	4.52
50nb Xlgt	Gal Pipe	2"	60.3	2.3	6.5	3.47
50nb Lgt	Gal Pipe	2"	60.3	2.9	6.5	4.28
50nb Med	Gal Pipe	2"	60.3	3.6	6.5	5.21
50nb Hvy	Gal Pipe	2"	60.3	4.5	6.5	6.36
65nb Xlgt	Gal Pipe	2 1/2"	76.1	2.6	6.5	4.33
65nb Lgt	Gal Pipe	2 1/2"	76.1	3.2	6.5	5.98
65nb Med	Gal Pipe	2 1/2"	76.1	3.6	6.5	6.65
65nb Hvy	Gal Pipe	2 1/2"	76.1	4.5	6.5	8.15

\* Available in other lengths = 6.5/7.2



# GAL PIPE

Product		Imperial	O/D	Wall/MM	Length/M	KG/M
80nb Lgt	Gal Pipe	3	88.9	3.2	6.5	7.02
80nb Med	Gal Pipe	3	88.9	4	6.5	8.62
80nb Hvy	Gal Pipe	3	88.9	5	6.5	10.6
90nb Lgt	Gal Pipe	3 1/2"	101.6	3.2	6.5	8.02
90nb Med	Gal Pipe	3 1/2"	101.6	4	6.5	9.95
90nb Hvy	Gal Pipe	3 1/2"	101.6	5	6.5	12.2
100nb Lgt	Gal Pipe	4"	114.3	3.6	6.5	10.1
100nb Med	Gal Pipe	4"	114.3	4.5	6.5	12.5
100nb Hvy	Gal Pipe	4"	114.3	5.4	6.5	14.8
125nb Lgt	Gal Pipe	5"	139.7	3.5	6.5	12.1
125nb Med	Gal Pipe	5"	139.7	5	6.5	17.1
125nb Hvy	Gal Pipe	5"	139.7	5.4	6.5	18.3
150nb Lgt	Gal Pipe	6"	165.1	3.5	6.5	14.4
150nb Med	Gal Pipe	6"	165.1	5	6.5	20.3
150nb Hvy	Fal Pipe	6"	165.1	5.4	6.5	21.8

## To calculate the mass of black round pipe & tube per metre:

Outside Diameter - wall thickness X wall thickness X 0.0246615

E.g: For a 219.1 mm diameter x 6.4mm wall thickness line pipe  
 $219.1 - 6.4 \times 6.4 \times 0.0246615 = 33.57\text{kg} / \text{Metre}$

E.g: For 25nb med Blk Pipe  
 $33.7 - 3.2 \times 3.2 \times 0.0246615 = 2.4\text{kg} / \text{metre}$

Note: \* Most price books have an extra 2.5% added onto the weight of pipe as rolling tolerance.



# PIPE CONVERSION TABLES

SIZE		SCHEDULE													
N.B.	INCH	O.D.	10	20	30	STD	40	60	XS	80	100	120	140	160	XXS
6	1/8	10.30				1.73	1.73		2.41	2.41					
8	1/4	13.70				2.24	2.24		3.02	3.02					
10	3/8	17.10				2.31	2.31		3.20	3.20					
15	1/2	21.30				2.77	2.77		3.73	3.73				4.78	7.47
20	3/4	26.70				2.87	2.87		3.91	3.91				5.56	7.82
25	1	33.40				3.38	3.38		4.55	4.55				6.35	9.09
32	1 1/4	42.20				3.56	3.56		4.85	4.85				6.35	9.70
40	1 1/2	48.30				3.68	3.68		5.08	5.08				7.14	10.16
50	2	60.30				3.91	3.91		5.54	5.54				8.74	11.07
65	2 1/2	73.00				5.16	5.16		7.01	7.01				9.53	14.02
80	3	88.90				5.49	5.49		7.62	7.62				11.13	15.24
90	3 1/2	101.60				5.74	5.74		8.08	8.08				13.47	17.12
100	4	114.30				6.02	6.02		8.56	8.56		11.13		15.88	19.05
125	5	141.30				6.55	6.55		9.53	9.53		12.70		18.26	21.95
150	6	168.30				7.11	7.11		10.97	10.97		14.27		20.62	22.22
200	8	219.10		6.35	7.04	8.18	8.18	10.31	12.70	12.70	15.06	18.26	20.62	23.01	25.41
250	10	273.00		6.35	7.80	9.27	9.27	12.70	12.70	15.09	18.26	21.41	25.40	28.58	25.41
300	12	323.90		6.35	8.38	9.53	10.31	14.27	12.70	17.48	21.44	25.40	28.58	33.32	25.40
350	14	355.60	6.35	7.92	9.53	9.53	11.13	15.09	12.70	19.05	23.83	27.79	31.75	35.71	
400	16	406.40	6.35	7.92	9.53	9.53	12.70	16.66	12.70	21.44	26.19	30.96	36.53	40.40	
450	18	457.00	6.35	7.92	11.13	9.53	14.27	19.05	12.70	23.83	29.36	34.93	39.68	45.24	
500	20	508.00	6.35	9.53	12.70	9.53	15.06	20.62	12.70	26.19	32.54	38.10	44.45	49.78	
600	24	609.60	6.35	9.53	14.27	9.53	17.48	24.61	12.70	30.96	38.89	46.02	52.34	59.54	
750	30	762.00	7.92	12.70	15.88	9.53			12.70						

## DURAGAL - FLAT

Product	Length/M	KG/LM	Pack
25 X 3 Flat	6	0.59	57
32 X 3 Flat	6	0.75	57
40 X 3 Flat	6	0.94	57
40 X 5 Flat	6	1.57	57
50 X 3 Flat	6	1.17	57
50 X 4 Flat	6	1.49	57
50 X 5 Flat	6	1.84	45
65 X 4 Flat	6	1.94	44
65 X 5 Flat	6	2.40	36
75 X 4 Flat	6	2.24	38
75 X 5 Flat	6	2.77	32
100 X 4 Flat	6	2.98	28
100 X 5 Flat	6	3.69	28
100 X 6 Flat	6	4.71	26
130 X 5 Flat	6	4.80	28
150 X 5 Flat	6	5.53	28
150 X 6 Flat	6	7.07	24

\* Sizes subject to availability

## DURAGAL - CHANNEL

Product	Length/M	KG/LM	Pack
75 X 40 X 4 Channel	9	4.25	18
100 X 50 X 4 Channel	9	5.59	18
125 X 65 X 4 Channel	9	7.23	18
150 X 75 X 5 Channel	12	10.5	12
180 X 75 X 5 Channel	12	11.6	12
200 X 75 X 5 Channel	12	12.4	12



# DURAGAL - ANGLE

Product		Length/M	KG/LM	Pack
30 X 30 X 2.5	Angle	6	1.06	80
40 X 40 X 2.5	Angle	6	1.43	60
40 X 40 X 4	Angle	6	2.2	39
50 X 50 X 2.5	Angle	6	1.81	33
50 X 50 X 4	Angle	9	2.79	27
50 X 50 X 5	Angle	9	3.42	24
65 X 65 X 4	Angle	9	3.69	22
65 X 65 X 5	Angle	9	4.52	22
75 X 75 X 4	Angle	9	4.29	22
75 X 75 X 5	Angle	9	5.26	22
75 X 75 X 6	Angle	9	6.56	18
100 X 100 X 6	Angle	12	8.92	16



# PRECISION TUBE - MILD STEEL : GALVABOND

Square Tube  
Mild Steel: Galvabond ( Zinc Coated )

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs / meter	Pack Size
12.7x12.7	MSGB	1.2	6100	2342	0.427	400
16x16	MSGB	0.9	6790	2415	0.414	256
16x16	MSGB	1.2	6100/7320	1838	0.544	256
19x19	MSGB	0.9	7200	1876	0.533	169
19x19	MSGB	1.2	7200	1475	0.678	169
19x19	MSGB	1.6	7320	1089	0.918	169
20x20	MSGB	1.6	6500	1404	0.712	144
20x20	MSGB	1.6	6500	1040	0.962	144
22.2x22.2	MSGB	1.2	6800	1261	0.793	121
22.2x22.2	MSGB	1.6	6600	926	1.080	121
25.4x25.4	MSGB	0.9	6100	1425	0.702	100
25.4x25.4	MSGB	1.2	6100/7320	1117	0.895	100
25.4x25.4	MSGB	1.6	6100/7320	817	1.224	100
25x25	MSGB	1.6	6500	818	1.223	100
30x30	MSGB	1.2	8130	938	1.066	64
30x30	MSGB	1.6	6000/6150	695	1.439	64
31.8x31.8	MSGB	1.2	7320	896	1.116	64
31.8x31.8	MSGB	1.6	7500	662	1.511	64
35x35	MSGB	1.2	6500	808	1.237	49
35x35	MSGB	1.6	6500	596	1.679	49
38x38	MSGB	1.6	6100	552	1.811	49
40x40	MSGB	1.6	6000/6500/7320	516	1.932	36
40x40	MSGB	2.0	6500	390	2.564	36
41x41	MSGB	2.0	7230	390	2.561	36
45x45	MSGB	1.6	6100	454	2.204	36
50x50	MSGB	1.6	6000/6100/6300	408	2.450	25
50x50	MSGB	2.0	6100/8000	308	3.247	25
50x50	MSGB	2.5	7320	253	3.946	25
60x60	MSGB	1.6	6100/7320	339	2.952	16
65x65	MSGB	1.6	6300/7320	312	3.204	16
65x65	MSGB	2.5	6300/7320	189	5.278	16

\* Sizes subject to availability





# PRECISION TUBE - MILD STEEL : SEMI BRIGHT/BLACK

Round Tube  
Mild Steel: Galvabond ( Zinc Coated )

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs / meter	Pack Size
12.7	MSGB	0.9	6000	3623	0.276	270
12.7	MSGB	1.2	8350	2833	0.353	270
16	MSGB	0.9	6400/7400	2882	0.347	280
16	MSGB	1.2	6150/7320	2257	0.443	280
16	MSGB	1.6	6100	1689	0.592	280
19	MSGB	0.9	6150/7550	2410	0.415	188
19	MSGB	1.2	6120/7320	1887	0.530	169
19	MSGB	1.6	6100	1560	0.641	169
19	MSGB	2.5	6050	873	1.145	169
22.2	MSGB	0.9	6150	2075	0.482	150
22.2	MSGB	1.2	6100/7320	1618	0.618	127
22.2	MSGB	1.6	6000	1196	0.863	127
25.4	MSGB	0.9	6120	1783	0.561	105
25.4	MSGB	1.2	6930/7320	1406	0.411	91
25.4	MSGB	1.6	6020/7010	1036	0.965	91
25.4	MSGB	2.0	6100	785	1.274	91
28.6	MSGB	1.2	6700/7100	1261	0.793	76
31.8	MSGB	1.2	6120/7320	1131	0.844	68
31.8	MSGB	1.6	6100/6980/7400	834	1.199	61

\* Sizes subject to availability



# PRECISION TUBE - MILD STEEL : GALVABOND

## Round Tube ( Continued )

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs/meter	Pack Size
38	MSGB	1.2	7420	944	1.059	37
38	MSGB	1.6	4520/6730	692	1.446	37
41.3	MSGB	1.6	7000	640	1.563	37
44.5	MSGB	1.2	600/6250	798	1.253	37
44.5	MSGB	1.6	6530	592	1.689	37
47.6	MSGB	1.6	7320	553	1.807	19
51	MSGB	1.2	6200	700	1.429	53
51	MSGB	1.6	6100/7320	516	1.937	19
51	MSGB	2.0	6100	390	2.566	19
51	MSGB	2.5	6500	315	3.178	19
57	MSGB	1.6	6120	451	2.217	19

## Rectangle Tube

### Mild Steel: Galvabond ( Zinc Coated )

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs/meter	Pack Size
25.4x12.7	HTGB	0.9	640	1898	0.527	200
35x19	MSGB	1.6	6100/6700	789	1.266	91
35x19	MSGB	2.0	6600	597	1.674	77
38x25.4	MSGB	1.2	5000/7500/6100	897	1.115	70
38x25.4	MSGB	1.6	6120/7320/7500	659	1.518	70
38x25.4	MSGB	2.0	4500	366	2.732	70
50x10	MSGB	0.9	6100/6300	1208	0.828	125
50x20	MSGB	1.6	6500	592	1.689	60
50x25	MSGB	1.6	6100/6500	561	1.782	50
50x40x	MSGB	1.6	6100	454	2.204	30
57x35	MSGB	1.6	6100/7320	451	2.218	28
63.5x38	MSGB	1.6	6100/7320	403	2.479	28
70x50	MSGB	1.6	6000/8000	339	2.953	20
76x38	MSGB	1.6	6100/9320/8000	366	2.732	18
80x40	MSGB	1.6	6100/730	339	2.952	18
80x40	MSGB	2.0	6100/6500	256	3.903	18

\* Sizes subject to availability



# PRECISION TUBE - MILD STEEL : SEMI BRIGHT/BLACK

## Round Tube ( Continued )

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs / meter	Pack Size
51	SEMB	1.2	6100	717	1.395	53
51	SEMB	1.4	7320	609	1.642	53
51	SEMB	1.6	6100	529	1.889	19
51	HRSB	2.0	6100	400	2.502	19
54	SEMB	1.4	6100	569	1.756	19
57	SEMB	1.2	6120	627	1.594	19
57	SEMB	1.6	6100	462	2.163	19
57	SEMB	2.0	6100	348	2.875	19
63.5	SEMB	2.0	6100	314	3.183	15
63.5	HRSB	2.0	6100	314	3.187	15
70	SEMB	1.6	6100	375	2.669	15
75	SEMB	1.6	6100	34	2.879	7
76.2	SEMB	1.6	6100	345	2.899	28
76.2	HRSB	2.0	6100	259	3.861	28
90	SEMB	1.6	6000	291	3.439	15

## Square Tube

### Mild Steel: Semi Bright/Black

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs / meter	Pack Size
12.7x12.7	SEMB	1.6	6100	1808	0.533	400
16x16	SEMB	1.2	6100	1887	0.530	256
16x16	SEMB	1.4	6100	1603	0.824	256
16x16	SEMB	1.6	6100	1431	0.699	256
19x19	HRSB	2.0	4600/7800	833	1.201	169
19x19	SEMB	1.2	6100	1506	0.664	169
19x19	SEMB	1.4	6100/6400	1279	0.782	169
19x19	SEMB	1.6	6100	1112	0.89	169
20x20	SEMB	1.4	6100	1229	0.814	144
20x20	SEMB	1.6	6100	1064	0.940	144
22.2x22.2	SEMB	1.2	6100	1290	0.775	121
22.2x22.2	SEMB	1.4	6100	1092	0.916	121
22.2x22.2	SEMB	1.6	6100	948	1.055	121
25.4x25.4	SEMB	1.2	6100	1145	0.873	100
25.4x25.4	SEMB	1.4	6100	974	1.027	100
25.4x25.4	SEMB	1.6	6100	837	1.195	100
25x25	SEMB	1.2	6100	1145	0.873	100
25x25	SEMB	1.4	6100	974	1.027	100
25x25	SEMB	1.6	6100	837	1.185	100

# PRECISION TUBE - MILD STEEL : SEMI BRIGHT/BLACK

## Square Tube ( Continued )

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs / meter	Pack Size
31.8x31.8	SEMB	1.2	6100	915	1.093	64
31.8x31.8	SEMB	1.4	6100	777	1.287	64
31.8x31.8	SEMB	1.6	6100/7320	675	1.481	64
38x38	HRSB	2.0	6100/6400	566	1.766	49
50x50	SEMB	1.4	6100	419	2.389	25
55x55	SEMB	1.2	6120	382	2.615	25
60x60	SEMB	1.6	6100	347	2.879	16
12.7x12.7	SEMB	2.0	6100	1808	0.533	400
16x16	SEMB	2.0	6100	1887	0.530	256
16x16	HRSB	2.0	6100	1603	0.624	256
16x16	SEMB	1.6	6100	1431	0.699	256
19x19	SEMB	1.6	4600/7800	833	1.201	169
19x19	SEMB	1.6	6100	1506	0.664	169
19x19	HRSB	2.0	6100/6400	1279	0.782	169
19x19	SEMB	1.6	6000	1112	0.899	169

## Rectangle Tube

### Mild Steel: Semi Bright/Black

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs / meter	Pack Size
25.4x12.7	SEMB	1.6	6100	1112	0.899	200
31.8x12.7	SEMB	1.4	6100	1092	0.916	160
31.8x12.7	SEMB	1.6	6100	948	1.055	160
35x19	SEMB	1.2	6100	1095	0.913	91
35x19	SEMB	1.6	6100	810	1.235	91
38x25.4	SEMB	1.6	6100	675	1.481	70
50x20	SEMB	1.6	6100	607	1.647	60
50x25	SEMB	1.2	6525/7075	771	1.295	50
50x25	SEMB	1.6	6100	576	1.737	50
51x31.8	HRSB	2.0	6100	387	2.584	40
51x31.8	SEMB	1.2	6300/6720	710	1.409	40
51x31.8	SEMB	1.6	6100/7320	512	1.955	40
57x35	SEMB	1.6	7600	465	2.149	28
60x40	SEMB	1.6	6100	416	2.405	24
67x29	HRSB	2.0	7320	332	3.011	36
67x29	SEMB	2.0	7320	332	3.011	36
70x34	HRSB	2.0	6300/6400	265	3.775	28

# PRECISION TUBE - MILD STEEL : SEMI BRIGHT/BLACK


Round Tube  
Mild Steel: Semi Bright/Black

Size ( mm )	Material	Gauge	Length ( mm )	Meters/Tonne	kgs / meter	Pack Size
12.7	SEMB	1.2	6100	2907	0.344	270
12.7	SEMB	1.6	6100	2207	0.453	270
16	SEMB	1.2	6100	2315	0.432	280
16	SEMB	1.3	6100	1733	0.577	280
16	SEMB	2.0	5550	1314	0.761	217
19	SEMB	1.2	6120	1934	0.517	169
19	SEMB	1.4	6100	1642	0.609	169
19	SEMB	1.6	6100/7260	1431	0.699	169
19	SEMB	2.0	6100	1082	0.924	169
22.2	SEMB	0.9	7320	2105	0.475	150
22.2	SEMB	1.2	6100	1647	0.607	127
22.2	SEMB	1.4	6100	1400	0.714	127
22.2	SEMB	1.6	6100	1227	0.815	127
25.4	SEMB	1.2	6100	1437	0.696	105
25.4	SEMB	1.4	6100	1221	0.819	91
25.4	SEMB	1.6	6100	1064	0.940	91
25.4	SEMB	2.0	7320	808	1.237	91
28.6	SEMB	1.2	6100	1290	0.775	76
28.6	SEMB	1.4	6100	1092	0.916	61
28.6	SEMB	1.6	6100	948	1.055	61
31.8	SEMB	1.2	6100	1159	0.863	68
31.8	SEMB	1.4	6100	985	1.015	68
31.8	SEMB	1.6	6100	855	1.169	61
35	SEMB	1.2	6100/6500	1049	0.953	61
35	SEMB	1.6	6100	778	1.286	61
38	SEMB	1.2	6100	965	1.036	37
38	SEMB	1.6	6100	713	1.403	37
38	SEMB	2.0	6100	537	1.863	37
41.3	SEMB	1.2	7200	888	1.126	37
41.3	SEMB	1.6	6300	655	1.527	37
44.5	SEMB	1.2	7320	820	1.220	68
44.5	SEMB	1.6	6100	606	1.649	37
47.6	SEMB	1.2	7100	779	1.284	19
47.6	SEMB	1.6	6100	566	1.766	19










# GENERAL PURPOSE GAL MESH

Product		Width mm	Height mm
50x50x3.15	Gal Mesh	2000	1200
25x25x2.5	Gal Mesh	2400	1200
50x50x4	Gal Mesh	2400	1200
50x50x3.15	Gal Mesh	2400	1200
75x50x4	Gal Mesh	2400	1200
100x100x4	Gal Mesh	2400	1200
25x25x2.5	Gal Mesh	3000	2400
25x25x3.15	Gal Mesh	3000	2400
50x50x4	Gal Mesh	3000	2400
75x50x4	Gal Mesh	3000	2400
100x100x5	Gal Mesh	3000	2400




# BUILDING FRAME COMPONENTS


Profile	Product	Size (mm)	BMT (mm)	Stock Lengths (mm)
	Standard Stud	75 X 32	1.2	7500
		75 X 32	1.0	7500
	Standard Nogging	72 X 34	1.2	7500
		72 X 34	1.0	7500
	Plate	78 X 31	1.2	7500
		78 X 31	1.0	7500
	Tophat 22 Ceiling Batten		0.42	6100
	Tophat 40 Roof Batten		0.55	6500
	Tophat 40 Roof Batten		0.75	6500
	Tophat 61 Rural Batten		0.75	6.5/Custom Cut
	** Tophat 64 available on request		0.95	Custom Cut
	Tophat 96 Rural Batten		0.75	Custom Cut
			0.95	Custom Cut
			1.15	Custom Cut
	Tophat 125 Batten		0.75	Custom Cut
			0.95	Custom Cut
			1.15	Custom Cut

# ROOFING & GUTTERS



FACIA




115 SQUARE-LINE GUTTER




150 HIGH FRONT QUAD GUTTER




150 OG GUTTER




125 SQUARE-LINE GUTTER



150 HALF ROUND GUTTER




BIG HALF ROUND GUTTER




A range of different sizes are available.



FLAT BACK GUTTER



LOW FRONT COMMERCIAL EAVES GUTTER




150 QUAD GUTTER




Smaller quad gutters are also available upon request.


HIGH FRONT COMMERCIAL EAVES GUTTER



175 QUAD GUTTER




BIG OG GUTTER






# ROOFING & WALLING

## CORRUGATED




Five degree Minimum Pitch      Tolerance L±5mm W ±2mm

## MINI CORRUGATED




Not suitable for roofing use      Tolerance L±5mm W ±2.5mm

## FIVE RIB



Two degree Minimum Pitch      Tolerance L±5mm W ±2mm

## KLIPOK FIX®




One degree Minimum Pitch      Tolerance L±5mm W ±2mm

# COLORBOND COLOURS

	Basalt®		Paperbark®		Deep Ocean®
	Domain®		Riversand®		Harvest®
	Dune®		Shale Grey™		Manor Red®
	Evening Haze®		Surfmist®		Night Sky®
	Ironstone®		Wilderness®		Wallaby®
	Jasper®		Woodland Grey®		Windspray®
	Monument®		Bushland®		
	Pale Eucalypt®		Cottage Green®		


\* Some colours subject to availability

# Z & C PURLINS



SECTION	THICKNESS MM	HEIGHT MM	Z - PURLINS			C - PURLINS		MASS KG/M
			E	F	L	B	L	
100 10	1.0	102	53	49	12.5	51	12.5	1.75
100 12	1.2	102	53	49	13	51	12.5	2.09
100 15	1.5	102	53	49	13.5	51	13.5	2.59
100 19	1.9	102	53	48	14.5	51	14.5	3.26
150 12	1.2	152	65	61	15.5	64	14.5	2.86
150 15	1.5	152	65	61	16.5	64	15.5	3.55
150 19	1.9	152	65	61	17.5	64	16.5	4.48
150 24	2.4	152	66	60	19.5	64	18.5	5.81
200 15	1.5	203	79	74	18	76	15.5	4.46
200 19	1.9	203	79	74	18.5	76	19	5.69
200 24	2.4	203	79	73	21.5	76	21	7.39
250 19	1.9	254	79	74	18	76	18.5	6.45
250 24	2.4	254	79	73	21	76	20.5	8.37
300 24	2.4	300	100	93	27	96	27.5	10.11
300 30	3.0	300	100	93	31	96	31.5	12.66
350 24	2.4	350	129	121	30	125	30	12.23
350 30	3.0	350	129	121	30	125	30	15.15
400 30	3.0	400	96	96	30	96	30	15.15


# STANCHIONS - HANDRAILS



WELDED

COLLAR

BASE PLATE




SMC

SM


SMAL

SMAR



SMC CONVEYOR

SM TYPE



SMO

SMOAL

SMOAR

Offset "O" (mm)

Channel	"O" offset	Universal Beam	"O" offset
125 x 65	110	200	110
150 x 75	110	250	110
180 x 75	110	310	120
200 x 75	110	360	125
230 x 75	110	410	125
250 x 90	125	460	135
300 x 90	125	530	140
380 x 100	135		

SIDE MOUNTED

SIDE MOUNTED OFFSET




# EZY DIY RETAINER WALL SYSTEM

**GAIN SPACE AND PRIVACY AROUND YOUR HOME**

- Easy assembly, perfect DIY home project
- Designed to accommodate timber & Colorbond fence above wall
- Ideal for both small and large retaining wall solutions
- Compatible with hardwood, pine or concrete sleepers
- All steel hot dip galvanised to AS4680 / 600gm per m<sup>2</sup>






**DESIGNED TO BE USED WITH HARDWOOD, PINE OR CEMENT SLEEPERS | 75 MM TO 80MM THICKNESS**



**CALL US TO LEARN MORE & WE CAN RECOMMEND INSTALLERS**



# EZY RETAINER WALL COMPONENTS

Product	Length	Weight
<b>H SECTION POSTS 100UC15 HOT DIP GAL</b> 	0.8 mt	12 kg ea
	1.2 mt	18 kg ea
	1.6 mt	24 kg ea
	2.0 mt	30 kg ea
	2.4 mt	36 kg ea
	2.7 mt	40.5 kg ea
	3.0 mt	45 kg ea
<b>C SECTION POSTS 100PFC HOT DIP GAL</b> 	0.8 mt	6.8 kg ea
	1.2 mt	10.2 kg ea
	1.6 mt	13.6 kg ea
	2.0 mt	17 kg ea
	2.4 mt	20.4 kg ea
	2.7 mt	23 kg ea
	3.0 mt	25.5 kg ea
<b>90° CORNER POSTS HOT DIP GAL</b> 	1.2 mt	20.4 kg ea
	1.6 mt	27.2 kg ea
	2.0 mt	34 kg ea
	3.0 mt	51 kg ea
<b>45° CORNER POSTS HOT DIP GAL</b> 	1.2 mt	24.6 kg ea
	1.6 mt	32.8 kg ea
	2.0 mt	58 kg ea
<b>EZY STEEL RETAINER POST SPADES</b> 	3mm thick	-
	6mm thick	-

\*\* OTHER LENGTHS MADE ON REQUEST  
 150mm H & C RETAINER WALL POSTS AVAILABLE ON REQUEST  
 CONCRETE SLEEPERS AVAILABLE UPON REQUEST



# BIRMINGHAM GAUGE CONVERTER

Inch Equiv. to mm	T/ness as inch fraction	Thickness mm	BG	Inch Equiv. to BG
0.3937	3/8	10.0	0	0.3964
0.3543		9.0	1	0.3532
0.3150	5/16	8.0	2	0.3147
0.2756		7.0	3	0.2804
0.2632	1/4	6.0	4	0.2500
0.2165		5.5	5	0.2225
0.1969	3/16	5.0	6	0.1981
0.1772		4.5	7	0.1764
0.1575	5/32	4.0	8	0.1570
0.1378		3.5	9	0.1398
0.1181	1/8	3.0	10	0.1250
0.1102		2.8	11	0.1113
0.0984	3/32	2.5	12	0.0991
0.0866		2.2	13	0.0882
0.0787	5/64	2.0	14	0.0785
0.0709		1.8	15	0.0699
0.0630	1/16	1.6	16	0.0625
0.0551		1.4	17	0.0556
0.0472	3/64	1.2	18	0.0495
0.0433		1.1	19	0.0440
0.0394		1.0	20	0.0392
0.0354		0.90	21	0.0349
0.0315	1/32	0.80	22	0.0313
0.0276		0.70	23	0.0278
0.0236		0.60	24	0.0248
0.0217		0.55	25	0.0220
0.0197		0.50	26	0.0196
0.0177		0.45	27	0.0175
0.0157	1/64	0.40	28	0.0156
00.0138		0.35	29	0.0139
0.0118		0.30	30	0.0123
0.0110		0.28	31	0.0110
0.0098		0.25	32	0.0098
0.0087		0.22	33	0.0087
0.0079		0.20	34	0.0077
0.0071		0.18	35	0.0069
0.0063		0.16	36	0.0061

# FREQUENTLY USED FORMULAS

## To calculate the mass of mild steel plate & Flat:

Length X Width X thickness X 7850kg

Eg: For a 10mm plate @ 2400mm x 1700mm  
 $2.4 \times 1.7 \times 0.01 \times 7850 = 320.28\text{kg}$   
 For a 200 x 6 Flat Bar @ 1200mm  
 $1.2 \times 0.2 \times 0.006 \times 7850 = 11.304\text{kg}$

Note: • 2.5% extra added onto the weight of merchant bar as a rolling tolerance.  
 • Add 2 kg per square metre for Floor-plate  
 • To calculate the mass of aluminium:  
 • Length x width x thickness x 2710 kg  
 • To calculate the mass of stainless steel:  
 Length x width x thickness x 8000 kg

## To calculate the mass of black round pipe & tube per metre:

Outside Diameter - wall thickness X wall thickness X 0.0246615

Eg: For a 219.1 mm diameter x 6.4mm wall thickness line pipe  
 $219.1 - 6.4 \times 6.4 \times 0.0246615 = 33.57\text{kg / Metre}$   
**For 25nb med Blk Pipe**  
 $33.7 - 3.2 \times 3.2 \times 0.0246615 = 2.4\text{kg / metre}$

Note: • Most price books have an extra 2.5% added onto the weight of pipe as rolling tolerance  
 • Add 2 kg per square metre for Floor-plate

## To calculate the mass of round bar per metre:

Diameter squared x 0.7854 x 7850 kg

Eg: For 50 mm round bar  
 $0.05 \times 0.05 \times 0.7854 \times 7850 = 15.41\text{kg / meter}$

## To calculate the circumference of a circle:

Diameter x 3.1416

Eg: For a diameter of 350 mm  
 $350 \times 3.1416 = 1099.56\text{mm}$

## To calculate the diagonal length corner to corner in a square or rectangle: (Hypotenuse)

Length squared + breadth squared = ? then square root

Eg: For a rectangle 1200mm x 2400mm  
 $1200 \times 1200 = 1440000$   
 +  
 $2400 \times 2400 = 5760000$   
 $7200000 > \text{square root} = 2683.28\text{mm}$




# MOTORISED PLATE CURVING ROLLERS

**PERFECT FOR TANK & CYLINDER WORK,  
ARCHITECTURAL CLADDING & MUCH MORE**



Mild steel capacity	8 mm
Rolling length	3100 mm
Top roll diameter Ø	230 mm
Bottom roll diameter Ø	210 mm



## PLASMA CUTTING

**LATEST TECHNOLOGY PLASMA CUTTING SERVICE,  
DELIVERING AROUND SOUTH EAST QLD**

Steelmart have the latest American made Linc Cut Plasma. With this machine we can provide an extremely fast turn around on production coupled with precise accuracy. Plasma cutting has the ability to work in fine detail on a variety of materials and thickness's.




- **FAST TURN AROUND**
- **EXTREMELY ACCURATE**
- **LARGE RANGE OF MATERIAL IN STOCK**



### MAXIMUM CUT SPEED

(Mild steel):

6 mm: 5300 mm /min  
12 mm: 2200 mm /min  
25 mm: 800 mm /min



### PIERCE CAPACITY:

25mm



# STEELMART

SUNSHINE COAST



## OUR SERVICES:

**(07) 5371 0160**



MIG, TIG, STICK WELDING



POWDER COATING



HOT METAL SPRAYING



HOT DIPPED GALVANIZING



IN HOUSE DRAFTING



TRADE QUALIFIED BOILER MAKERS



ONSITE MEASURE & QUOTE SERVICE



TRADE QUALIFIED 1ST CLASS SHEETMETAL TRADESMEN



ON SITE SERVICES – WELDING & ERECTION, BREAKDOWN SERVICE, REPAIRS



FULLY EQUIPPED WORKSHOP – 5 TONNE OVERHEAD CRANE



PAINTING – PRIMING, 2 PAK, 3 COAT INDUSTRIAL SYSTEMS



FULLY EQUIPPED SITE TRUCK SELF SUFFICIENT



QBCC LICENSE # 15131477 – CLASS: STRUCTURAL FABRICATION & ERECTION



100+ YEARS OF COMBINED STEEL INDUSTRY EXPERIENCE & KNOWLEDGE



STANDARDS  
AUSTRALIA



MASTER  
BUILDERS  
QUEENSLAND

Proud Member



QUEENSLAND BUILDING AND  
CONSTRUCTION COMMISSION  
QBCC License No. 1513 1477

